

## SECTION 1: Identification

### 1.1. Identification

Product form : Substance  
 Trade name : Methanol

### 1.2. Recommended use and restrictions on use

Recommended use : Solvents, Fuels, Feedstock  
 Restrictions on use : None known

### 1.3. Supplier

Valenz  
 2 Northpoint Drive  
 Houston, TX, 77060  
 United States  
 T +1-832-448-7100

### 1.4. Emergency telephone number

Emergency number : Chemtrec (800) 424-9300

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### GHS US classification

Flammable liquids Category 2	H225	Highly flammable liquid and vapor
Acute toxicity (oral) Category 3	H301	Toxic if swallowed
Acute toxicity (dermal) Category 3	H311	Toxic in contact with skin
Acute toxicity (inhalation:vapor) Category 3	H331	Toxic if inhaled
Specific target organ toxicity (single exposure) Category 1	H370	Causes damage to organs (optic nerve) (oral)

Full text of H statements : see section 16

### 2.2. GHS Label elements, including precautionary statements

#### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

H225 - Highly flammable liquid and vapor  
 H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled  
 H370 - Causes damage to organs (optic nerve) (oral)

Precautionary statements (GHS US) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P233 - Keep container tightly closed.  
 P240 - Ground/Bond container and receiving equipment.  
 P241 - Use explosion-proof electrical, lighting, ventilating equipment.  
 P242 - Use only non-sparking tools.  
 P243 - Take precautionary measures against static discharge.  
 P260 - Do not breathe mist, spray, vapors.  
 P264 - Wash hands thoroughly after handling.  
 P270 - Do not eat, drink or smoke when using this product.  
 P271 - Use only outdoors or in a well-ventilated area.  
 P280 - Wear eye protection, protective gloves.

# Methanol

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P301+P310 - If swallowed: Immediately call a poison center or doctor.  
P330 - Rinse mouth.  
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P312 - Call a poison center or doctor if you feel unwell.  
P363 - Wash contaminated clothing before reuse.  
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.  
P311 - Call a poison center or doctor.  
P308+P311 - If exposed or concerned: Call a poison center or doctor.  
P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO<sub>2</sub>), dry extinguishing powder, Water spray to extinguish.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Name : Methanol

Name	Product identifier	%
Methanol	CAS-No.: 67-56-1	100

Full text of hazard classes and H-statements : see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.  
First-aid measures after skin contact : Take off contaminated clothing. Wash skin with plenty of water. Call a poison center or a doctor if you feel unwell. Wash contaminated clothing before reuse.  
First-aid measures after eye contact : Rinse eyes with water as a precaution. If eye irritation persists: Get medical advice/attention.  
First-aid measures after ingestion : Rinse mouth. Call a doctor immediately, even if there are no immediate symptoms. Symptoms may be delayed.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Toxic if inhaled. Inhalation may affect the nervous system causing headache, possibly dizziness, nausea, weakness, loss of coordination and unconsciousness. Toxic in contact with skin. Symptoms similar to those listed under ingestion. Toxic if swallowed. Causes damage to organs (optic nerve) (Ingestion). If swallowed there is a risk of blindness. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination. May cause eye irritation.  
Inhalation : Toxic if inhaled. Inhalation may affect the nervous system causing headache, possibly dizziness, nausea, weakness, loss of coordination and unconsciousness.  
Skin : Toxic in contact with skin. Symptoms similar to those listed under ingestion.

# Methanol

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Eyes	: May cause eye irritation.
Ingestion	: Toxic if swallowed. If swallowed there is a risk of blindness. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.

### 4.3. Immediate medical attention and special treatment, if necessary

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Immediate specific treatment is necessary in case of poisoning.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water spray, dry chemical powder, alcohol-resistant foam, carbon dioxide (CO <sub>2</sub> ).
Unsuitable extinguishing media	: Use of heavy stream of water may spread fire.

### 5.2. Specific hazards arising from the chemical

Fire hazard	: Highly flammable liquid and vapor. A methanol fire may not be visible to the naked eye. At or above flash point, vapors present may burn in open or explode if confined when mixed with air and exposed to ignition source. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors. Special attention should be given to low areas/pits where flammable vapors can accumulate. On combustion, forms: carbon oxides (CO and CO <sub>2</sub> ).
-------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. On heating, there is a risk of bursting due to internal pressure build-up. Cool down the containers exposed to heat with a water spray. Fight fire from safe distance and protected location.
--------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Evacuate area. Eliminate all ignition sources. Ventilate area. Wear suitable protective clothing. Do not get in eyes, on skin, or on clothing. Do not breathe vapors. Stop leak if safe to do so.
------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### 6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Evacuate unnecessary personnel. No flames, no sparks. Eliminate all sources of ignition. Ventilate spillage area. Do not breathe vapors. Do not get in eyes, on skin, or on clothing. Wear suitable protective clothing.

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Avoid release to the environment. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

### 6.3. Methods and material for containment and cleaning up

For containment	: Ventilate spillage area. Remove all sources of ignition. Use non-sparking tools. Absorb with an inert material and place in an appropriate waste disposal container. Recover large spills by pumping (use an explosion proof or hand pump). Control the vapors with a fine water spray. Do not flush down sewers.
Other information	: Ensure all national/local regulations are observed.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13: "Disposal considerations".

# Methanol

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure adequate ventilation. Do not breathe vapors. Avoid contact with eyes, skin and clothing. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Flammable vapors can accumulate in head space of closed systems. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof equipment. Take precautionary measures against static discharge. Ground/bond container and receiving equipment. Use only non-sparking tools. Keep container closed when not in use. Do not re-use empty containers. Empty containers retain product residue and can be hazardous. Flammable vapors may accumulate in the container.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Store in a well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Methanol

No additional information available

##### Methanol (67-56-1)

###### USA - ACGIH - Occupational Exposure Limits

Local name	Methanol
ACGIH OEL TWA [ppm]	200 ppm
ACGIH OEL STEL [ppm]	250 ppm
Remark (ACGIH)	TLV® Basis: Headache; eye dam; dizziness; nausea. Notations: Skin; BEI
Regulatory reference	ACGIH 2021

###### USA - ACGIH - Biological Exposure Indices

Local name	METHANOL
BEI (BLV)	15 mg/l Parameter: Methanol - Medium: urine - Sampling time: End of shift - Notations: B, Ns
Regulatory reference	ACGIH 2021

###### USA - OSHA - Occupational Exposure Limits

Local name	Methyl alcohol
OSHA PEL (TWA)	260 mg/m <sup>3</sup>
OSHA PEL (TWA)	200 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure adequate ventilation. Do not exceed the occupational exposure limits (OEL). Use spark-/explosionproof appliances and lighting system. Use explosion-proof equipment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Hand protection:

Wear Neoprene or nitrile rubber gloves. Consult supplier for specific recommendations.

# Methanol

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Skin and body protection:

Use chemically protective clothing. Wear impervious rubber safety shoes

### Respiratory protection:

In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Color	: Colorless
Odor	: Alcohol
Odor threshold	: 59 ppm
pH	: No data available
Melting point	: -144 °F Not applicable
Freezing point	: -144 °F
Boiling point	: 148.1 °F
Flash point	: 51.8 °F
Relative evaporation rate (butyl acetate=1)	: 5.9
Relative evaporation rate (ether=1)	: 5.3
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: 12.8 kPa
Relative vapor density at 20 °C	: 1.11
Relative density	: 0.791 – 0.793
Molecular mass	: 32.04 g/mol
Solubility	: Soluble in water. Soluble in acetone. Soluble in chloroform. Soluble in ether.
Partition coefficient n-octanol/water (Log Pow)	: -0.82 – -0.66
Auto-ignition temperature	: 725 °F
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 0.55 cP
Explosion limits	: Lower explosion limit: 6 vol % Upper explosion limit: 36.5 vol %
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

VOC content : 100 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reacts with (strong) oxidizers. Fire and explosion hazards.

### 10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

# Methanol

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.5. Incompatible materials

Keep away from oxidizers, strong acids and strong bases. Hydrocarbons, halogenated.

### 10.6. Hazardous decomposition products

Thermal decomposition may produce : Carbon oxides (CO, CO<sub>2</sub>). Formic acid. Formaldehyde.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Toxic if swallowed.  
Acute toxicity (dermal) : Toxic in contact with skin.  
Acute toxicity (inhalation) : Toxic if inhaled.

#### Methanol

ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (vapors)	3 mg/l/4h
LD50 oral rat	1187 – 2769 mg/kg body weight
LD50 dermal rat	17100 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

#### Methanol (67-56-1)

NOAEL (animal/male, F0/P)	< 1000 mg/kg body weight
STOT-single exposure	: Causes damage to organs (optic nerve) (oral).

#### Methanol (67-56-1)

STOT-single exposure	Causes damage to organs.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects	: Toxic if inhaled. Inhalation may affect the nervous system causing headache, possibly dizziness, nausea, weakness, loss of coordination and unconsciousness. Toxic in contact with skin. Symptoms similar to those listed under ingestion. Toxic if swallowed. Causes damage to organs (optic nerve) (Ingestion). If swallowed there is a risk of blindness. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination. May cause eye irritation.
Inhalation	: Toxic if inhaled. Inhalation may affect the nervous system causing headache, possibly dizziness, nausea, weakness, loss of coordination and unconsciousness.
Skin	: Toxic in contact with skin. Symptoms similar to those listed under ingestion.
Eyes	: May cause eye irritation.
Ingestion	: Toxic if swallowed. If swallowed there is a risk of blindness. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.

# Methanol

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

#### Methanol (67-56-1)

LC50 - Fish [1]	15400 mg/l <i>Lepomis macrochirus</i> (Bluegill)
EC50 - Crustacea [1]	18260 mg/l <i>Daphnia magna</i> (Water flea)
NOEC (chronic)	208 mg/l <i>Daphnia magna</i> (Water flea)

#### 12.2. Persistence and degradability

#### Methanol (67-56-1)

Persistence and degradability	Readily biodegradable.
ThOD	0

#### 12.3. Bioaccumulative potential

#### Methanol

BCF - Fish [1]	1 mg/l
Partition coefficient n-octanol/water (Log Pow)	-0.82 – -0.66
Bioaccumulative potential	No bioaccumulation.

#### Methanol (67-56-1)

Bioaccumulative potential	No bioaccumulation.
---------------------------	---------------------

#### 12.4. Mobility in soil

#### Methanol

Mobility in soil	Expected to be highly mobile in soil
------------------	--------------------------------------

#### 12.5. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

### SECTION 14: Transport information




In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
<b>14.1. UN number</b>			
1230	1230	1230	1230
<b>14.2. Proper Shipping Name</b>			
Methanol	Not applicable	METHANOL	Methanol

# Methanol

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	IATA
<b>14.3. Transport hazard class(es)</b>			
3	Not applicable	3 (6.1)	3 (6.1)
 Not applicable	Not applicable		
<b>14.4. Packing group</b>			
II	Not applicable	II	II
<b>14.5. Environmental hazards</b>			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available			

### 14.6. Special precautions for user

<b>DOT</b>	
UN-No. (DOT)	: UN1230
DOT Special Provisions (49 CFR 172.102)	: IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3) TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 1 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
<b>TDG</b>	
UN-No. (TDG)	: 1230
Emergency Response Guide (ERG) Number	: 131
<b>IMDG</b>	
Special provision (IMDG)	: 279
Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2



# Methanol

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG)	: B
Flash point (IMDG)	: 12°C c.c.
Properties and observations (IMDG)	: Colourless, volatile liquid. Flashpoint: 12°C c.c. Explosive limits: 6% to 36.5% Miscible with water. Toxic if swallowed; may cause blindness. Avoid skin contact.

### IATA

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 352
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provision (IATA)	: A113
ERG code (IATA)	: 3L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Methanol

OSHA Process Safety Management Standard: This product is not regulated under OSHA PSM Standard 29 CFR 1910.119

Drug Enforcement Administration (DEA) List 2, Essential Chemicals (21 CFR 1310.02(b)) and 1310.4(f)(2)) and Chemical Code Number Not listed  
Drug Enforcement Administration (DEA) Lists 1 & 2, Exempt Chemical Mixtures (21 CFR 1310.12(c)) and Code Number Not Listed  
Department of Homeland Security (DHS) Chemical Facility Anti-Terrorism Standards (CFATS) Chemicals Not listed

SARA 302/304 Extremely Hazardous Substance: None of the chemicals in this product exceed the threshold (de minimis) reporting levels established by of these sections Title III of SARA.

SARA 302/304 Emergency Planning & Notification: None of the chemicals in this product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA.

Subject to reporting requirements of United States SARA Section 313

Clean Air Act (CAA)

-Listed on EPA Hazardous Air Pollutant (HAPS)

- This product does not contain Class 1 Ozone depletors.

- This product does not contain Class 2 Ozone depletors.

Clean Water Act (CWA)

-Methanol (CAS #67-56-1) is a Hazardous Substance under the CWA.

-This product does not contain Priority Pollutants.

-This product does not contain Toxic Pollutants.

EPA Risk Management Planning Standard: This product is not regulated under EPA RMP Standard (RMP) 40 CFR Part 68.

EPA Federal Insecticide, Fungicide and Rodenticide Act: This product is not a registered Pesticide under the FIFRA, 40 CFR Part 150.

CERCLA RQ	5000 lb
-----------	---------

SARA Section 311/312 Hazard Classes	Refer to Section 2 for OSHA Hazard Classification.
-------------------------------------	----------------------------------------------------

Toxic Substance Control Act (TSCA) Inventory: All of the substances in this product are listed on the TSCA Inventory. This product is not subject to TSCA 12(b) Export Notification.

# Methanol

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Methanol	CAS-No. 67-56-1	100%
----------	-----------------	------

### Methanol (67-56-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ	5000 lb
-----------	---------

### 15.2. International regulations

#### CANADA

### Methanol (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

#### National regulations

### Methanol

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on KECI (Korean Existing Chemicals Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the Canadian DSL (Domestic Substances List)  
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

### 15.3. US State regulations

### Methanol

U.S. - California - Proposition 65 - Carcinogens List	No
U.S. - California - Proposition 65 - Developmental Toxicity	Yes
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No
Maximum allowable dose level (MADL)	47000 µg/day (inhalation); 23,000 µg/day (oral)



**WARNING:**

This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 01/10/2022

#### Full text of H-phrases

H225	Highly flammable liquid and vapor
H301	Toxic if swallowed

# Methanol

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H311	Toxic in contact with skin
H331	Toxic if inhaled
H370	Causes damage to organs

Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds

# Methanol

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Abbreviations and acronyms	
	CAS-No.
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Indication of changes:
Section 15: Regulatory information.

Safety Data Sheet (SDS), USA

The information and recommendations herein are taken from data contained in independent industry-recognized references and are believed to be accurate and represent the best information currently available to us. Valenz makes no representation or warranties, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein to the product to which the information refers. Users should conduct their own investigations to determine the suitability of the information to their particular purpose. Accordingly, Valenz will not be responsible for loss or damages resulting from use of or reliance upon this information.